

## Quantum Mechanics 3 2001/2002

## Problem set 4

- (1) [2000 degree exam, short question] A quantum system has a set of eigenstates  $u_n(x)$ , with energies  $E_n$ . The system is placed in a state  $\psi$  that is not an eigenstate; use the fact that the  $u_n$  are a complete set to show that the expectation value of the Hamiltonian,  $\langle \psi | H | \psi \rangle$ , always overestimates the ground-state energy.
- (2) Show that, for the 1D wavefunction

$$\psi = \begin{cases} (2a)^{-1/2} & |x| < a \\ 0 & |x| > a \end{cases}$$

the rms uncertainty in momentum is infinite (hint: you need to Fourier transform  $\psi$ . The mean momentum is zero by symmetry, so you only need  $\langle p^2 \rangle$ ). Comment on the relation of this result to the uncertainty principle.

(3) Show that the following relation applies for any operator O that lacks an explicit dependence on time:

$$\frac{\partial}{\partial t}\langle O\rangle = \frac{i}{\hbar}\langle [H,O]\rangle.$$

(hint: remember that the Hamiltonian, H, is a Hermitian operator, and that H appears in the time-dependent Schrödinger equation).

Use this result to derive Ehrenfest's relations, which show that classical mechanics still applies to expectation values:

$$m\frac{\partial}{\partial t}\langle \mathbf{x} \rangle = \langle \mathbf{p} \rangle$$
$$\frac{\partial}{\partial t}\langle \mathbf{p} \rangle = -\langle \nabla V \rangle$$